



LUXAIR<sup>TM</sup>  
EXTRACTION WITH ATTRACTION



**THE NEW COLLECTION - DESIGNER COOKER HOODS**  
The UK's Largest Range Of Cooker Hoods

FEBRUARY 2017

7

YEARS  
PARTS &  
LABOUR  
WARRANTY\*

7

YEARS

PARTS &  
LABOUR  
WARRANTY\*





Welcome to Luxair the UK's most comprehensive range of cooker hoods and powerful designer bathroom extractors. For this, and many other reasons, we have been established as one of the leading and most progressive extractor manufacturers in Europe and the UK.

Founded in 2002, Luxair embraces the in-house disciplines of design, development and distribution of cooker hoods. All our extractor hoods are manufactured in their Italian factory and meet all Original Equipment Manufacturer (OEM) requirements. We supply customers throughout the UK and Europe from our distribution headquarters in Ripon.

Luxair are market leaders and have an enviable reputation for their product quality and attention to detail, commercial integrity and outstanding customer service. Our product quality is achieved by working closely with UK appliance distribution networks to assure all materials are of the highest specification. Being 'customer solution' driven, Luxair are motivated by the needs of clients and excellent customer service. Our team of fully qualified, in-house service engineers work to assure most issues are dealt with in 24 hours.\*\*

All Luxair extractor hoods are backed by a Two, Five or Seven Year 'Parts and Labour Warranty.'\*

Don't forget to check out our full range of products and videos online at [www.luxairhoods.com](http://www.luxairhoods.com)

We now have videos with in-depth descriptions of features and instructions of how to install the hoods.



## Index

Ceiling Hoods	Page 6 - 23
Wall Mounted Hoods	Page 24 - 55
Integrated Hoods	Page 56 - 63
Island Hoods	Page 64 - 83
Downdraft Hoods	Page 84 - 87
Bathroom Fans	Page 88 - 89
Splashbacks	Page 90 - 93
Accessories	Page 94 - 95

\*\*service calls are normally responded to within 24 hours, subject to terms and conditions and customer availability.

However where an engineer is unavailable, or the area is out of normal service reach, a turnaround of 14 days is quoted. This also applies to out of stock parts.

\*Seven Year Parts and Labour Warranty must be registered within 31 days of installation either online at [www.luxairhoods.com](http://www.luxairhoods.com) or by mail.

Twelve months parts and labour warranty is standard without registration, but proof of purchase may be required.

Your statutory rights are not affected.


# ENERGY EFFICIENT EXTRACTION

Kitchen cooker hoods are appliances designed to be placed above a Hob/Cooker to filter the air in your kitchen. They can be either ducted out or recirculated with charcoal filters.

For many people a kitchen extractor is just an afterthought, but not having adequate ventilation can lead to permanent damage to your kitchen. Grease can stain your paint work and builds up in hard to clean places, as well as this odours linger in your home when sufficient ventilation is not installed.

Cooker hoods now come in many different forms all with their own style, installation and extraction rates.

Luxair offer a wide range of hoods now with our new 'A' rated more environmentally friendly motors and energy efficient LED lights. Better performance with reduced power consumption.



## CALCULATING EXTRACTION RATES

Luxair have many hoods with motors that have different extraction rates. These vary across our entire range but you should always make sure you have a hood that will meet the requirements you need.

You should calculate the minimum extraction rate you need using this basic rule:

$M^3$  Volume of kitchen (Length x Width x Height) then times this by 12. This is to allow for 12 recommended changes of air per hour.

EG: Your kitchen is 6 metres long, 3 metres wide and 2.5 metres high. Multiply the room's length x width x height to get the cubic capacity: in this case  $45m^3$ . You need 12 changes of air per hour so the extraction rate required would be  $12 \times 45m^3$ , which is  $540m^3$ . Any cooker hood you consider should have a minimum extraction rate of  $540m^3/hr$ .





# DUCTING + RECIRCULATING

Ducting out should always be your preferred option as this will push steam and odours outside.

We highly recommend using 150mm circular ducting or the rectangular equivalent as this will allow for the maximum extraction rate the hoods offer.

Luxair supply ducting kits in 4 different lengths:

- 1.5 Meters
- 3.5 Meters
- 4 Meters
- 6 Meters


A filter containing activated charcoal is used to remove odour and smoke from the air, before releasing the air back into the kitchen.

Any hood using these must have vents on the chimney section showing and unrestricted to allow the air to return to the room.

Please note your extraction rate will decrease by up to 1/3 when recirculating as the filter is placed directly in front of the motor.



## INDUCTION HOBS



Due to induction hobs not generating any heat by thermal conduction from a flame or an electrical heating element, steam that is generated in the pan disperses differently.

When using a hob with a flame/heating element, this helps the steam rise quickly before it turns to water and extracted before this process happens, the heat also warms up the hood at the same time meaning less chance of condensation collecting, as warm air is not hitting a cold surface.

As induction Hobs are electromagnetic they do not work this way and do not generate direct heat. Steam that is being generated in the pan is slow rising and disperses immediately rather than being forced up and warming the extractor at the same time.

Because of this, significant condensation is something that unfortunately cannot be avoided as steam is often already turning to water as it cools down as it rises.

When buying a cooker hood with an induction hob we always recommend to buy x2 sizes larger than the hob, EG: if your induction hob is 60cm then we advise to buy an extractor with an extraction area of at least 80cm (not including products where the glass is 80cm and the body's extraction area only being 60cm or hoods where the mesh grills are fully covered by door panel.) These offer a larger extraction area and will help collect the steam better that disperses around the sides of the hood from the pan.

Angled and recirculation of any hoods are not recommended for Induction hobs. Look out for our Induction Friendly logo.

## CEILING HOODS

# LA-ANZI Stainless Steel, Black and White Hoods



The ANZI is the very latest in ceiling hood design.



This extractor comes standard with Luxair's new slimline powerful 1200m<sup>3</sup>/hr motor designed to fit between your kitchen joists.

The ANZI has been hand finished with high grade 18/10 stainless steel to give a luxurious finish.

Fitted with 6x LED lights and operated by a stylish remote control, this hood will quickly become the centerpiece main attraction in your kitchen.

This ceiling extractor can also be installed with motor attached separately in the loft or attached to the top of the cooker hood.

Alternatively the Anzi can now be purchased with an external motor. These are weather proof motors with a powerful extraction rate of 1200m<sup>3</sup>/hr and can be ducted up to 6 metres.



Available in Stainless Steel, Black and White


LA-90-ANZI-SM-SS

LA-90-ANZI-SM-BLK

LA-90-ANZI-SM-WHT

## Technical Data

Size	90cm x 50cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	650m³/hr	800m³/hr	1100m³/hr	1200m³/hr
Noise Level	54DB	56DB	60DB	62DB
Energy Rating	B			
Lighting	6x 3w LED Spot Lights			
Ducting	6" -150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square 2			







## *Eye catching Looks*

Sleek, sophisticated and powerful, Luxair really know what people want from a designer Ceiling hood. Please also see our new recirculation only model on page 19.

The COSMIC features a black or white glass underside with 2 LED strips. The new energy efficient motor gives 950m<sup>3</sup>/hr and easy clean metal grease filters are accessible from the drop down glass centre panel. A Stainless steel surround gives this hood a striking and eye-catching designer feel.

Free 7 years parts and labour warranty (subject to registration).






Available in Stainless Steel with Black Glass:

LA-90-COSMIC-Ceiling-BLK

Available in Stainless Steel with White Glass:

LA-90-COSMIC-Ceiling-WHT

Technical Data			
Size	90cm x 60cm		
Fan Speeds	Speed 1	Speed 2	Speed 3
Extraction Rate			
(Unrestricted)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	950m <sup>3</sup> /hr
Noise Level	42DB	55DB	63DB
Energy Rating	A		
Lighting	2x 7w LED Strip Lights		
Ducting	6" - 150mm - Min 5" - 125mm		
Charcoal Filters	Ducting Only		






## *Unique Design*

The JUPITER ceiling cooker hood is unique in every dimension. Available in 1200mm x 500mm, it can be installed either flush to the ceiling or in a surface mounted by simply ordering the optional extra box section to suit. Please also see our new recirculation only model on page 18.

The JUPITER can also be ducted to the outside or recirculated back into the room using the optional recirculating frame that is simply attached to the top of the hood, allowing the air to flow back into the room, you will need to order the charcoal filters to purify the air if you are using this in recirculation mode.

The outer ring is black glass and the inner glass panel is back lit with LED lighting, this unit is fully remote control operated with filter alarm.





Available in Stainless Steel with Black Glass:  
LA-1200-JUPITER

With optional surface mounted steel box  
section painted white

\*Please note in order to recirculate this hood you will need the surface  
mounted drop down box\*

Technical Data			
Size	120cm x 50cm		
Fan Speeds	Speed 1	Speed 2	Speed 3
Extraction Rate			
(Unrestricted)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	950m <sup>3</sup> /hr
(Recirculated)	341m <sup>3</sup> /h	482m <sup>3</sup> /h	636m <sup>3</sup> /h
Noise Level	42DB	55DB	63DB
Energy Rating	A		
Lighting	4x 1w LED Spot Lights		
Ducting	6" -150mm - Min 5" - 125mm		
Charcoal Filters	2x Charocal Filter Jupiter		








## *Impressive Looks*

The LUMEN surface mounted ceiling extractor has to be one of the most attractive on the market.

The surround is made of white glass and the under panel is also white glass that is lit by an LED light panel giving smooth tranquil lighting beneath. The frame of this cooker hood is made of stainless steel and is polished to add that quality look.

This unit is remote control operated and features an 'A' rated energy efficient motor.

Free 7 years parts and labour warranty (subject to registration).




Available in Stainless Steel Frame with White Glass Surround

\*\*Can be recirculated using optional recirculation frame\*\*

LA-90-LUMEN = 90cm x 60cm  
LA-120-LUMEN = 120cm x 60cm

## Technical Data

Size	90cm x 60cm & 120cm x 50cm		
Fan Speeds	Speed 1	Speed 2	Speed 3
Extraction Rate			
(Unrestricted)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	950m <sup>3</sup> /hr
(Recirculated)	341m <sup>3</sup> /h	482m <sup>3</sup> /h	636m <sup>3</sup> /h
Noise Level	42DB	55DB	63DB
Energy Rating	A		
Lighting	1x 15w LED Spot Lights		
Ducting	6" - 150mm - Min 5" - 125mm		
Charcoal Filters	2x Charcoal Filter Jupiter		



CEILING HOODS

## LA-TOLVI Stainless Steel Hoods



### *Sleek Lines*

This stunning TOLVI all LED ceiling extractor is the very best in quality, handmade Italian craftsmanship.

This extractor has an LED lighting panel giving over 600 Lumens of light, easy to install either into your ceiling or simply lower a box section on your existing ceiling, very powerful 1200m<sup>3</sup>/hr motor, remote control, high grade stainless steel finish. With white centre panel illumination for added soft dining.

The LA-60-TOLVI and LA-120x60-TOLVI now come with Luxair's new slimline motor as standard requiring less space between your joists. This motor is removable so you can place it in an adjacent room or loft space. Alternatively we now supply external motors that can be used on this model.





Available in Stainless Steel with White Centre Panel



LA-60-TOLVI-SS

LA-120x30-TOLVI-SS

LA-120x60-TOLVI-SS

## Technical Data

Size	60x60, 120x30, 120x60cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	650m³/hr	800m³/hr	1100m³/hr	1200m³/hr
Noise Level	54DB	56DB	60DB	62DB
Energy Rating	B			
Lighting	LED Light Panel			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	Ducting Only			



# Ceiling Extractors with External Motors



## Flat Roof External Motor





These motors are best suited to being installed on a flat roof. A tower unit is provided to raise the motor from the roof so that the motor is not blowing directly on to your roof tiles.

## Pitched Roof External Motor

These motors are best in installed on an angled roof. They have an angled design so that the exhaust of the motor is not blowing directly on to your roof tiles.

## Wall Mounted External Motor

These motors are ideal for situating on an external house wall. They have a flat under body that fits flush against the wall.



Available for Flat Roof, Pitched Roof and Wall Mounted.

Available on Anzi and Tolvi Ceiling Hoods

### Technical Data

Size	Flat Roof, Pitched Roof & Wall Mounted			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	650m <sup>3</sup> /hr	800m <sup>3</sup> /hr	1100m <sup>3</sup> /hr	1200m <sup>3</sup> /hr
Noise Level	54DB	56DB	63DB	70DB
Energy Rating	A			
Lighting	Check Hood Specification			
Ducting	Min 6" - 150mm			

External motors are designed to be installed with our ceiling extractors and can be ducted up to 6 meter away from the hood. These motors are IP45 rated and are water resistant.

All our external motors have a very high extraction rate of 1200m<sup>3</sup>/hr and are finished in 18/10 grade stainless steel. All our ceiling hoods are remote control operated and are incredibly easy to install.

7 Year Parts & Labour Warranty (Subject To Registration)

## CEILING HOODS WITH RECIRCULATING MOTORS

# LA-VERDE-STRATOS Stainless Steel, Black and White




This Verde is part of our new recirculating 'Stratos' ceiling hood range. If you are struggling for space to duct out this new range is perfect for you. Available in 120cm x 60cm and 90cm x 60cm in Stainless Steel, Black and White.

This new range features an impressive 950m<sup>3</sup>/hr surface mounted motor specifically built for recirculation only and is very easy to install. No need to duct out, simply fix to the ceiling and connect to a power supply.

Using specially designed washable charcoal filters to collect grease, the air is purified and then returned back in to the room.

The Verdi Stratos features a steel centre panel with 4x LED spot lights and is completely remote control operated.




LA-90-VERDE-STRATOS-SS  
LA-90-VERDE-STRATOS-BLK  
LA-90-VERDE-STRATOS-WHT

LA-120-VERDE-STRATOS-SS  
LA-120-VERDE-STRATOS-BLK  
LA-120-VERDE-STRATOS-WHT

### Technical Data

Size	120cm x 60cm + 90cm x 60cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4
Extraction Rate				
(Recirculated)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	870m <sup>3</sup> /hr	950m <sup>3</sup> /hr
Noise Level	57DB	60DB	63DB	65DB
Energy Rating	A			
Lighting	4x 1w LED Spot Light			
Ducting	Recirculation Only			
Charcoal Filters	1x Charcoal Filter Matt			





# CEILING HOODS WITH RECIRCULATING MOTORS

## LA-JUPITER-STRATOS Black/White Glass




This Jupiter is part of our new recirculating 'Stratos' ceiling hood range. If you are struggling for space to duct out, this new range is perfect for you.

This new range features an impressive 950m<sup>3</sup>/hr surface mounted motor specifically built for recirculation only and is very easy to install. No need to duct out, simply fix to the ceiling and connect to a power supply.

Using specially designed washable charcoal filters to collect grease, the air is purified and then returned back in to the room.


The Jupiter outer ring is black glass with an inner white glass panel sitting over 4 LED lights. Completely remote control operated, the Jupiter is elegant and unique.



LA-120-JUPITER-STRATOS

### Technical Data

Size	120cm x 50cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4
Extraction Rate				
(Recirculated)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	870m <sup>3</sup> /hr	950m <sup>3</sup> /hr
Noise Level	57DB	60DB	63DB	65DB
Energy Rating	A			
Lighting	4x 1w LED Spot Lights			
Ducting	Recirculation Only			
Charcoal Filters	1x Charcoal Filter Matt			



# CEILING HOODS WITH RECIRCULATING MOTORS

## LA-COSMIC-STRATOS Black and White Glass




This Cosmic is part of our new recirculating 'Stratos' ceiling hood range. If you are struggling for space to duct out, this new range is perfect for you.

This new range features an impressive 950m<sup>3</sup>/hr surface mounted motor specifically built for recirculation only and is very easy to install. No need to duct out, simply fix to the ceiling and connect to a power supply.

A black or white glass front panel with 2 LED strips gives this hood an unmistakable appearance. A slim 49mm deep body gives a sleek and sophisticated finish.


This new flat motor is 'A' rated and completely remote controlled.



LA-90-COSMIC-STRATOS-BLK

LA-90-COSMIC-STRATOS-WHT

Technical Data				
Size	90cm x 60cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4
Extraction Rate				
(Recirculated)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	870m <sup>3</sup> /hr	950m <sup>3</sup> /hr
Noise Level	57DB	60DB	63DB	65DB
Energy Rating	A			
Lighting	2x 7w LED Strip Lights			
Ducting	Recirculation Only			
Charcoal Filters	1x Charcoal Filter Matt			



## CEILING HOODS WITH RECIRCULATING MOTORS

# LA-GRAVITY-STRATOS Black and White Glass



This New Gravity is part of our new recirculating 'Stratos' ceiling hood range. If you are struggling for space to duct, out this new range is perfect for you.

This new range features a impressive  $950\text{m}^3/\text{hr}$  surface mounted motor specifically built for recirculation only and is very easy to install. No need to duct out, simply fix to the ceiling and connect to a power supply.

The Gravity is a new design with a perfect circular steel body available in either a black or white finish. Odours and steam are recirculated through the LED lit inner circular ring. There are also 4x LED spot lights featured in the centre panel.


Filters are easy to access through the inner circle, simply place in your dish washer to clean them.



LA-90-GRAVITY-STRATOS-BLK

LA-90-GRAVITY-STRATOS-WHT

Technical Data				
Size	90cm x 90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4
Extraction Rate (Recirculated)	$510\text{m}^3/\text{hr}$	$720\text{m}^3/\text{hr}$	$870\text{m}^3/\text{hr}$	$950\text{m}^3/\text{hr}$
Noise Level	57DB	60DB	63DB	65DB
Energy Rating	A			
Lighting	4x 3w LED Spot Lights			
Ducting	Recirculation Only			
Charcoal Filters	1x Charcoal Filter Matt			





# CEILING HOODS WITH RECIRCULATING MOTORS

## LA-LUNA-STRATOS Black and White




This Luna is part of our new recirculating 'Stratos' ceiling hood range. If you are struggling for space to duct out, this new range is perfect for you.

This new range features a impressive 950m<sup>3</sup>/hr surface mounted motor specifically built for recirculation only and is very easy to install. No need to duct out, simply fix to the ceiling and connect to a power supply.

The Luna follows the design of our angled wall version with a straight body with rounded edges available in either a black or white finish. Odours and steam are recirculated through the LED lit inner circular ring. There are also 4x LED spot lights featured in the outer panel.

Filters are easy to access through the inner circle, simply place in your dish washer to clean them.




LA-90-LUNA-STRATOS-BLK

LA-90-LUNA-STRATOS-WHT

### Technical Data

Size	90cm x 60cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4
Extraction Rate (Recirculated)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	870m <sup>3</sup> /hr	950m <sup>3</sup> /hr
Noise Level	57DB	60DB	63DB	65DB
Energy Rating	A			
Lighting	4x 3w LED Spot Lights			
Ducting	Recirculation Only			
Charcoal Filters	1x Charcoal Filter Matt			








## *Small and Discreet*

New Designer Ceiling Extractors for Small Kitchens or Bathrooms. This unique designer Slimline Ceiling extractor fan is designed to be installed above your cooker and can also be used in your bathroom or shower room. This unit is IP45 rated meaning it is suitable for use in bathrooms and other moisture prone areas.

This ceiling fan is available in three size options, depending on the size of your hob or cooker you choose. It is supplied with LED lighting, remote control and is available in all White, Black or Stainless Steel finishes. The material used on all these ceiling extractors is painted metal, the black and white Ceiling hood is high gloss finish.


The motors are all metal and are made in Germany, you will not find these small ceiling extractors anywhere other than Luxair as they are made only by us. The motor is capable of extracting up to 480m<sup>3</sup>/hr, more than any other small extractor fan. Guaranteed to take away all the steam vapours that so often cause mould and mildew problems in and around the kitchen or bathroom areas.



Available in Black, White and Stainless Steel  
LA-350/650/950

## Technical Data

Size	350x300mm, 650x300mm, 950x300mm				
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4	
Extraction Rate					
(Unrestricted)	55m <sup>3</sup> /hr	110m <sup>3</sup> /hr	165m <sup>3</sup> /hr	220m <sup>3</sup> /hr	
Noise Level	20DB	24DB	29DB	33DB	
	Speed 5	Speed 6	Speed 7	Speed 8	Speed 9
	275m <sup>3</sup> /hr	330m <sup>3</sup> /h	373m <sup>3</sup> /hr	426m <sup>3</sup> /hr	480m <sup>3</sup> /hr
Noise Level	38DB	44DB	50DB	56DB	62DB
Energy Rating	B (LA-350)	C (LA-650)	C (LA-950)		
Lighting	2x LED Light Strips				
Ducting	Min 100mm				



WALL MOUNTED HOODS

## LA-CRESTA Stainless Steel & Black Hoods



The Cresta has a unique curved body and chimney and has some stunning features.

LED lighting all around the glass front, LED strip lighting underneath, and an LED lit push control switch. This cooker hood also has easy access to a grease filter with a flip down front panel, and has an extraction rate of 950m<sup>3</sup>/hr from its 'A' rated energy efficient motor.

Finishing in a stunning easy to clean black painted frontage or stainless steel, this cooker hood looks stunning with a glass splash back in black.






Available in Black:  
LA-90-CRESTA-BLK

Available in Stainless Steel:  
LA-90-CRESTA-SS

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr
(Recirculated)	342m³/hr	482m³/h	583m³/hr	636m³/hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	3x LED Strip Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square 2 + Charcoal filter cage required			



WALL MOUNTED HOODS CURVED GLASS

LA-CVD Stainless Steel, Black, White, Ivory, Pink and Red



The CVD is by far one of Luxair's most popular cooker hoods. Stylish and attractive, this hood now comes in Stainless Steel, Black, Ivory, Red, Pink and now White to fit in any kitchen design.

The Luxair CVD comes with 2x 20w Halogen lights and very high extraction rates from 680m<sup>3</sup>/hr to 980m<sup>3</sup>/hr motors. Fitted with the very latest and very simple to use electronic control timer switch, this hood is available in 60cm, 70cm, 80cm, 90cm, 100cm and 110cm.

All curved glass hoods can be recirculated or ducted out on a minimum of 5" ducting.

For more info on these hoods please visit [www.luxairhoods.com](http://www.luxairhoods.com)



## Curved Stainless Glass Hoods

LA-60-CVD-SS  
LA-70-CVD-SS  
LA-80-CVD-SS  
LA-90-CVD-SS  
LA-100-CVD-SS  
LA-110-CVD-SS

## Curved Red Glass Hoods

LA-60-CVD-RED  
LA-70-CVD-RED  
LA-80-CVD-RED  
LA-90-CVD-RED  
LA-100-CVD-RED  
LA-110-CVD-RED

## Curved Black Glass Hoods

LA-60-CVD-BLK  
LA-70-CVD-BLK  
LA-80-CVD-BLK  
LA-90-CVD-BLK  
LA-100-CVD-BLK  
LA-110-CVD-BLK

## Curved Pink Glass Hoods

LA-60-CVD-PNK  
LA-70-CVD-PNK  
LA-80-CVD-PNK  
LA-90-CVD-PNK  
LA-100-CVD-PNK  
LA-110-CVD-PNK

## Curved Ivory Glass Hoods

LA-60-CVD-IV  
LA-70-CVD-IV  
LA-80-CVD-IV  
LA-90-CVD-IV  
LA-100-CVD-IV  
LA-110-CVD-IV

## Curved White Glass Hoods

LA-60-CVD-WHT  
LA-70-CVD-WHT  
LA-80-CVD-WHT  
LA-90-CVD-WHT  
LA-100-CVD-WHT  
LA-110-CVD-WHT



## Technical Data

Size 60cm, 70cm, 80cm, 90cm, 100cm, 110cm

Fan Speeds Speed 1 Speed 2 Speed 3 Timer

### Extraction Rate

(Unrestricted 60-90)	450m³/hr	500m³/hr	650m³/hr	680m³/hr
(Recirculated 60-90)	302m³/hr	335m³/h	436m³/hr	456m³/hr
(Unrestricted 100-110)	580m³/hr	650m³/hr	900m³/hr	980m³/hr
(Recirculated 100-110)	389m³/hr	436m³/h	600m³/hr	657m³/hr



Noise Level 42DB 48DB 55DB 63DB

Energy Rating D

Lighting 2x 20w Halogen Lights


Ducting 6" - 150mm - Min 5" - 125mm

Charcoal Filters 1x Charcoal Filter Square 2



WALL MOUNTED HOODS

LA-FLT Stainless Steel and Black




## *Sleek & Contemporary*

Introducing the modern design of the FLT. This sleek and stunning hood is only 60mm deep and comes in size from 60cm – 110cm in black or stainless steel.

The FLT features 2 halogen 20w lights, easy clean metal mesh grease filters and the very latest easy to use electronic controls. Fitted with a 680m<sup>3</sup>/hr motor in the smaller models and the impressive 980m<sup>3</sup>/hr in the larger sizes, this hood has more than enough power to keep you cooking in style!

If slims your thing then this hood is in!





Available in Stainless Steel

Available in Black

LA-60-FLT-SS

LA-90-FLT-SS

LA-60-FLT-BLK

LA-90-FLT-BLK

LA-70-FLT-SS

LA-100-FLT-SS

LA-70-FLT-BLK

LA-100-FLT-BLK

LA-80-FLT-SS

LA-110-FLT-SS

LA-80-FLT-BLK

LA-110-FLT-BLK

## Technical Data

Size 60cm, 70cm, 80cm, 90cm, 100cm, 110cm

Fan Speeds Speed 1 Speed 2 Speed 3 Timer

### Extraction Rate

(Unrestricted 60-90) 450m<sup>3</sup>/hr 500m<sup>3</sup>/hr 650m<sup>3</sup>/hr 680m<sup>3</sup>/hr

(Recirculated 60-90) 302m<sup>3</sup>/hr 335m<sup>3</sup>/h 436m<sup>3</sup>/hr 456m<sup>3</sup>/hr

(Unrestricted 100-110) 580m<sup>3</sup>/hr 650m<sup>3</sup>/hr 900m<sup>3</sup>/hr 980m<sup>3</sup>/hr

(Recirculated 100-110) 389m<sup>3</sup>/hr 436m<sup>3</sup>/h 600m<sup>3</sup>/hr 657m<sup>3</sup>/hr

Noise Level 42DB 48DB 55DB 63DB


Energy Rating D

Lighting 2x 20w (60cm - 90cm) Halogen Lights

4x 20w (100cm - 110cm) Halogen Lights

Ducting 6" -150mm - Min 5" - 125mm

Charcoal Filters 1x Charcoal Filter Square 3



WALL MOUNTED HOODS

LA-FSL Stainless Steel and Black



## *Elegant & Modern*

The Slimline FSL offers contemporary stylish looks with a modern twist. Featuring a sleek black glass front panel, this hood will add a touch of Luxair class to your kitchen.

The FSL features 2x 20w halogen lights, a powerful 980m<sup>3</sup>/hr Luxair motor and touch sensitive glass switch controls. This hood is only 60mm thick and is available in both stainless steel and black.



Available in Stainless Steel


LA-60-FSL-SS LA-90-FSL-SS  
LA-70-FSL-SS LA-100-FSL-SS  
LA-80-FSL-SS LA-110-FSL-SS

Available in Black

LA-60-FSL-BLK LA-90-FSL-SBLK  
LA-70-FSL-BLK LA-100-F:  
LA-80-FSL-BLK LA-110-F:

## Technical Data

Size	60cm,70cm,80cm,90cm,100cm,110cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	580m³/hr	650m³/hr	900m³/hr	980m³/hr
(Recirculated)	389m³/hr	436m³/h	600m³/hr	657m³/hr
Noise Level	54DB	56DB	59DB	63DB
Energy Rating	D			
Lighting	2x 20w (60cm - 90cm) Halogen Lights 4x 20w (100cm - 110cm) Halogen Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square 3			



WALL MOUNTED HOODS

## LA-LINEA Stainless Steel and Black



### *Sleek & Sophisticated*

The designer LINEA, sleek, stylish and perfect for any cooking needs.

The LINEA has an LED lighting strip across the front of the ultra-modern black glass panel. This hood has the power to perform with its powerful 950m<sup>3</sup>/hr 'A' rated energy efficient motor.

The LINEA has easy clean metal grease filters and can be ducted out or recirculated with charcoal filters.

Finished in a stunning easy to clean stainless steel or black body with tranquil blue back lit touch sensitive control, this hood looks stunning with a glass splash back.





Available in Stainless Steel

LA-60-Linea-SS

LA-70-Linea-SS

LA-80-Linea-SS

LA-90-Linea-SS

LA-100-Linea-SS

LA-110-Linea-SS

Available in Black

LA-60-Linea-BLK

LA-70-Linea-BLK

LA-80-Linea-BLK


LA-90-Linea-BLK

LA-100-Linea-BLK

LA-110-Linea-BLK

## Technical Data

Size	60cm,70cm,80cm,90cm,100cm,110cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr
(Recirculated)	342m³/hr	482m³/h	583m³/hr	636m³/hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	1x 7w LED Strip Light			
Ducting	6" -150mm - Min 5" - 125mm			
Charcoal Filters	2 x Charcoal Filter Round 1			



WALL MOUNTED HOODS

## LA-LUNA Black and White Glass



### *Stunning Looks*

The stylish design of the LUNA is truly magnificent so much so we have developed a ceiling hood version as on page 21.

With LED lighting all around the centre ring, LED lighting underneath and an LED lit touch sensitive control switch with boost timer, this hood really is one of the most attractive hoods Luxair has to offer.


The LUNA has easy access metal grease filters with a flip front panel and can be either ducted out or recirculated. The powerful 950 m<sup>3</sup>/3hr motor offers more power than any other hood of its kind.

Finished in stunning black or white glass, this hood will be the centre piece of any kitchen!

Free 7 years parts and labour warranty (subject to registration).



# WALL




Available in Black Glass  
LA-90-LUNA-BLK

Available in White Glass  
LA-90-LUNA-WHT

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr
(Recirculated)	342m³/hr	482m³/h	583m³/hr	636m³/hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	2x 3w LED Down Lights + LED Ring			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	2 x Charcoal Filter Round 5			



WALL MOUNTED HOODS

## LA-NERO Black Steel/Black Glass



### *Distinctive Lines*


Introducing the NERO Cooker Hood, a designer range cooker hood in a black steel body with Black and Silver Glass.

This new arrival has been designed with angled radial black glass with Silver glass highlight giving a truly distinct design. The NERO kitchen extractor has been developed to collect air through 2 distinctive glass panels and to be one of the most refined and practical cooker hoods on the market, giving any kitchen a fresh personality whilst offering incredible extraction.

A powerful 950m<sup>3</sup>/h 'A' rated energy efficient motor, 2x energy efficient 3w LED down lights and a tranquil blue touch sensitive control switch with 4 speeds and an internal timer give this hood exceptional qualities.

Free 7 years parts and labour warranty (subject to registration).






Available in Stainless Steel with Black Glass Front  
LA-90-NERO-BG

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr
(Recirculated)	342m³/hr	482m³/h	583m³/hr	636m³/hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	2x 3w LED Adjustable Down Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	2x Charcoal Filter RND 5			



WALL MOUNTED HOODS

LA-OMAGGIO White Glass/Black Glass



## *Splashback Effect*


Introducing the Luxair Omaggio all glass cooker hood available in White or Black glass.

Designed for the modern kitchen, the Omaggio adds a touch of Luxair class and quality to your cooking area. Featuring LED spot lights and a touch sensitive control. A powerful 980m<sup>3</sup>/hr motor with 3 speeds and a boost timer give this hood real quality.

The Omaggio has a seamless tempered glass finish that acts as a splashback and hood in one giving it that sleek designer look.

Free 7 years parts and labour warranty (subject to registration).


# WALL



Available in White Glass      Available in Black Glass  
LA-90-OMAGGIO-WHT      LA-90-OMAGGIO-BLK  
LA-100-OMAGGIO-WHT      LA-100-OMAGGIO-BLK

## Technical Data

Size	90cm + 100cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	580m³/hr	650m³/hr	900m³/hr	980m³/hr
(Recirculated)	389m³/hr	436m³/h	600m³/hr	657m³/hr
Noise Level	54DB	56DB	60DB	62DB
Energy Rating	D			
Lighting	6x 3w LED Adjustable Down Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	2x Charcoal Filter RND 5			



## WALL MOUNTED HOODS


# LA-SARK Stainless Steel/Black Steel



Introducing the Luxair Designer SARK Cooker Hood.

This new range hood has been designed with 3 layers of steel painted black and polished stainless steel giving a truly striking design. The LA-SARK kitchen extractor has been developed to collect vapours on all 3 panes and to be one of the most refined and practical cooker hoods on the market, giving any kitchen a fresh personality whilst offering incredible extraction.

A powerful 950m<sup>3</sup>/h motor, 2x energy efficient 3w LED down lights and an electronic control switch with 4 speeds and an internal timer give this hood exceptional qualities. This hood has a 3 tier steel frontage to give a creative and matchless designer feel.




Available in Stainless Steel

LA-90-SARK-BG

### Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	870m <sup>3</sup> /hr	950m <sup>3</sup> /hr
(Recirculated)	342m <sup>3</sup> /hr	482m <sup>3</sup> /h	583m <sup>3</sup> /hr	636m <sup>3</sup> /hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	2x 3w LED Down Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	2x Charcoal Filter RND 5			





## WALL MOUNTED HOODS

### LA-STD Stainless Steel, Black, White and Cream




The Luxair STD is by far the most traditional cooker hood on the market. Offering a modern strong design with a traditional feel.

Standard hoods are becoming increasingly popular in many household kitchens, offering a powerful extraction from 680m<sup>3</sup>/hr to 980m<sup>3</sup>/hr at affordable prices. The LA-STD comes with chrome push button controls and 2x 28w standard ES lights.

Luxair hoods offer a superior standard of quality using high specification materials. We use 18/10 grade stainless steel on our complete range of hoods and all joints are fully welded and polished to give a quality finish.


All STD hoods can be re-circulated using charcoal filters or ducted out on a minimum of 5" ducting and are available in size options 60cm, 70cm, 80cm, 90cm, 100cm and 110cm.



Available in Stainless Steel, Black, White and Cream

#### Technical Data

Size	60cm,70cm,80cm,90cm,100cm,110cm		
Fan Speeds	Speed 1	Speed 2	Speed 3
Extraction Rate			
(Unrestricted 60-90)	450m³/hr	500m³/hr	680m³/hr
(Recirculated 60-90)	302m³/hr	335m³/h	456m³/hr
(Unrestricted 100-110)	580m³/hr	700m³/hr	980m³/hr
(Recirculated 100-110)	389m³/hr	469m³/h	657m³/hr
Noise Level	54DB	61DB	63DB
Energy Rating	E (60cm - 90cm)	D (100cm - 110cm)	
Lighting	2x 28w Standard ES Bulbs		
Ducting	6" - 150mm - Min 5" - 125mm		
Charcoal Filters	2x Charcoal Filter Round 5		



# WALL MOUNTED HOODS/STRAIGHT GLASS CHIMNEY LA-ST-GL Stainless Steel and Black



Introducing a new superior standard of straight glass cooker hood. The high quality ST-GL offers the traditional stylish looks and Italian quality at affordable prices.

Straight glass hoods have become very popular in recent years. Luxair hoods are manufactured by highly skilled Italian engineers and we only use 18/10 grade stainless steel on all our hoods. All joints are fully welded and polished to give a quality finish only Luxair can offer.

The ST-GL has a powerful 680m<sup>3</sup>/hr motor, 2x 20w halogen lights and a blue back-lit electronic control.

All ST-GL hoods can be recirculated or ducted out on a minimum of 5" ducting. This designer hood is available in 60cm, 70cm and 90cm size options.

Free 7 years parts and labour warranty (subject to registration).



Available in Stainless Steel

LA-60-ST-GL-SS

LA-70-ST-GL-SS

LA-90-ST-GL-SS

Available in Black


LA-60-ST-GL-BLK

LA-70-ST-GL-BLK

LA-90-ST-GL-BLK

## Technical Data

Size	60cm, 70cm & 90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	450m <sup>3</sup> /hr	500m <sup>3</sup> /hr	650m <sup>3</sup> /hr	680m <sup>3</sup> /hr
(Recirculated)	302m <sup>3</sup> /hr	335m <sup>3</sup> /h	436m <sup>3</sup> /hr	456m <sup>3</sup> /hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	D			
Lighting	2x 20w Halogen Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square 2			



## WALL MOUNTED HOODS

# LA-TEREL Stainless Steel/Black Glass



Introducing the designer TEREL Cooker Hood with Black Glass centre panel and Stainless Steel surround available in 60cm, 90cm and 120cm.

The TEREL hood has a wide frontal area to give extremely high extraction rates. The centre black glass panel can lift up completely giving you access to the metal grease filters and charcoal filters.

A powerful 950m<sup>3</sup>/h motor, energy efficient 7w LED strip light and an back lit control switch with 4 speeds and an internal timer give this hood exceptional qualities. This hood has a black glass frontage to give an eye catching designer feel and easy to clean suction perimeter. Finished in a stunning easy to clean stainless steel body, this hood will become the centerpiece of your kitchen!!



Available in Stainless Steel with Black Glass


LA-60-TEREL-SS-BG

LA-90-TEREL-SS-BG

LA-120-TEREL-SS-BG

### Technical Data

Size	60cm + 90cm + 120cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	870m <sup>3</sup> /hr	950m <sup>3</sup> /hr
(Recirculated)	342m <sup>3</sup> /hr	482m <sup>3</sup> /h	583m <sup>3</sup> /hr	636m <sup>3</sup> /hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	1x 11w LED Strip Light			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	2x Charcoal Filter RND 5			



## WALL MOUNTED HOODS LA-TITAN Stainless Steel



### *Truly Magnificent*

Introducing the designer Titan Cooker Hood available in 60cm and 90cm in Stainless Steel with dual black strips along the top and bottom of the front panel.

This exciting range hood has been designed to give a truly impressive and unique design. The TITAN is one of our latest kitchen extractor and has been developed to collect air through its distinctive circular ring. It has to be one of the most refined and charismatic cooker hoods on the market, giving any kitchen a new personality whilst offering incredible extraction.

A powerful 950m<sup>3</sup>/h motor, 2x energy efficient 3w LED down lights and a tranquil blue touch sensitive control switch with 4 speeds and an internal timer give this hood exceptional qualities. This hood is produced with 18/10 grade stainless steel frontage to give a creative designer feel.






Available in Stainless Steel

LA-60-Titan-SS

LA-90-Titan-SS

## Technical Data

Size	60cm + 90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr
(Recirculated)	342m³/hr	482m³/h	583m³/hr	636m³/hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	2x 3w LED Down Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	2x Charcoal Filter RND 5			



WALL MOUNTED HOODS

LA-VEGA Stainless Steel/Black or White Glass




## *Stunning Looks*

Introducing the New 90cm Designer Vega Cooker Hood,  
Available in Stainless Steel with White Glass/Black Glass.

The Vega kitchen hood is one of the most refined and modern cooker hoods, giving any kitchen a new personality. This hood has due to its 'A' rated energy efficient powerful 950m<sup>3</sup>/h motor, LED lighting, 1 on top and 1 underneath the hood and a back lit control switch with 4 speeds and an internal timer give this hood exceptional qualities.

This hood has either a Stainless Steel, White or black glass front panel to give an engaging and dazzling designer feel and easy to clean extraction area. Finished in a stunning easy to clean stainless steel body, this hood will become a people magnet in your kitchen!!

Free 7 years parts and labour warranty (subject to registration).



Available in Stainless Steel, White Glass + Black Glass


LA-90-Vega-SS

LA-90-Vega-SS-WG

LA-90-Vega-SS-BG

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr
(Recirculated)	342m³/hr	482m³/h	583m³/hr	636m³/hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	2x 4w LED Strip Lights + 2x 20w Halogens			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	2x Charcoal Filter RND 5			



WALL MOUNTED HOODS

## LA-DLINE Stainless Steel/Smoked Black Glass



# *Quality Construction*

The DLine comes with a smoked black glass surround and powerful motor, this hood is a blend of class and first-rate engineering.

The Luxair Dline is fitted with a stainless steel push button easy to use switch, 2x 1.2w LED energy efficient lights and a superb 680m<sup>3</sup>/hr motor.

All Luxair angled hoods come with metal grease filters and can be recirculated or ducted out on a minimum 5" ducting.

The DLine range of hoods are covered by a 7 years parts and labour warranty (subject to registration)





Available in Stainless Steel with Transparent  
Smoked Black Glass


LA-60-DLINE-SS-BG

LA-70-DLINE-SS-BG

LA-90-DLINE-SS-BG

#### Technical Data

Size	60cm, 70cm + 90cm		
Fan Speeds	Speed 1	Speed 2	Speed 3
Extraction Rate			
(Unrestricted)	450m <sup>3</sup> /hr	500m <sup>3</sup> /hr	680m <sup>3</sup> /hr
(Recirculated)	302m <sup>3</sup> /hr	335m <sup>3</sup> /h	436m <sup>3</sup> /hr
Noise Level	54DB	61DB	63DB
Energy Rating	D		
Lighting	2x 1.2w LED Down Lights		
Ducting	Min 125mm		
Charcoal Filters	2x Charcoal Filter Round 5		



BUDGET WALL MOUNTED HOODS

LA-VALORE Budget Cooker Hoods Stainless Steel & Black Hoods



## *Stunning Design*

Luxair have a fantastic value for money curved glass range of cooker hoods, named Valore (Italian for value).

The LA-VALORE has 8mm safety glass, 2x 20w halogen lights and a stainless steel push button switch. Fitted with a nimble 480m<sup>3</sup>/hr motor, the Valore is a budget hood with power!

# WALL



**\*\*Please note the Valore Splashbacks are different to the CVD Splashbacks\*\***

Available in Stainless Steel

Available in Black

LA-60-CVD-VAL-SS

LA-60-CVD-VAL-BLK

LA-70-CVD-VAL-SS

LA-70-CVD-VAL-BLK

LA-80-CVD-VAL-SS


LA-80-CVD-VAL-BLK

LA-90-CVD-VAL-SS

LA-90-CVD-VAL-BLK

## Technical Data

Size	60cm, 70cm, 80cm + 90cm		
Fan Speeds	Speed 1	Speed 2	Speed 3
Extraction Rate			
(Unrestricted)	250m <sup>3</sup> /hr	300m <sup>3</sup> /hr	480m <sup>3</sup> /hr
(Recirculated)	168m <sup>3</sup> /hr	201m <sup>3</sup> /h	322m <sup>3</sup> /hr
Noise Level	50DB	54DB	58DB
Energy Rating	D		
Lighting	2x 20w Halogen Down Lights		
Ducting	Min 125mm		
Charcoal Filters	1x Charcoal Filter Square 3		



BUDGET WALL MOUNTED HOODS  
LA-604 Stainless Steel and Black



## *Great Value for Money*

The 604 Budget hood truly is value for money. With its traditional looks and reliable motor, this hood will sit well in any kitchen.

The Luxair 604 is fitted with a stainless steel push button easy to use switch, 2 x 40w standard ES bulbs and a 480m<sup>3</sup>/hr motor giving this hood performance on a budget. All budget hoods come with metal grease filters and can be recirculated or ducted out.



# WALL




Available in Stainless Steel  
LA-604-SS

Available in Black  
LA-604-BLK

## Technical Data

Size	60cm		
Fan Speeds	Speed 1	Speed 2	Speed 3
Extraction Rate			
(Unrestricted)	250m <sup>3</sup> /hr	300m <sup>3</sup> /hr	480m <sup>3</sup> /hr
(Recirculated)	168m <sup>3</sup> /hr	201m <sup>3</sup> /h	322m <sup>3</sup> /hr
Noise Level	54DB	56DB	59DB
Energy Rating	E		
Lighting	2x 28w Standard ES Bulbs		
Ducting	Min 100mm		
Charcoal Filters	2x Charcoal Filter Round 5		



## INTEGRATED HOODS LA-CANOPY Stainless Steel

**LED Lights**  
**950m<sup>3</sup>/hr motor**  
**7 Year Warranty**  
(Subject to Registration)


The CANOPY is Luxair's latest integrated cooker hood.

Concealing a cooker hood has now never been easier and with its enormous 950m<sup>3</sup>/hr motor this hood is more powerful than any other integrated hood on the market. Most integrated hoods only offer around 300m<sup>3</sup>/hr extraction.

Fitted with an easy to use 3 speed slider switch, 2x 1.2w LED energy efficient lights.

All integrated hoods come with metal grease filters and can be recirculated or ducted out on a minimum 5" ducting.

Free 7 Year Parts & Labour Warranty (Subject to Registration)




Available in Stainless Steel

LA-52-CAN-SS

LA-74-CAN-SS

## Technical Data

Size	52cm + 74cm		
Fan Speeds	Speed 1	Speed 2	Speed 3
Extraction Rate			
(Unrestricted)	480m³/hr	600m³/hr	950m³/hr
(Recirculated)	322m³/hr	402m³/h	636m³/hr
Noise Level	54DB	57DB	63DB
Energy Rating	D		
Lighting	2x 3w LED Lights		
Ducting	6" - 150mm - Min 5" - 125mm		
Charcoal Filters	2x Charcoal Filter Round 5		



## INTEGRATED HOODS LA-CANOPY Black Glass



The all new CANOPY Black Glass is Luxair's latest integrated cooker hood. Concealing a cooker hood has now never been easier and with its enormous 950m<sup>3</sup>/hr motor this hood is more powerful than any other integrated hood on the market. Most integrated hoods on the market only offer around 300m<sup>3</sup>/hr extraction, Luxair strive to be the best and are the market leader in integrated hoods.

Fitted with an easy to use electric timer switch, 2 x LED energy efficient lights and featuring a unique black glass door panel and black steel surround, the Black Glass Canopy is the best looking integrated hood on the market.


Free 7 Year Parts & Labour Warranty  
(Subject to Registration)



Available in Black with Black Glass  
LA-72-CAN-BG

### Technical Data

Size	72cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	870m <sup>3</sup> /hr	950m <sup>3</sup> /hr
(Recirculated)	342m <sup>3</sup> /hr	482m <sup>3</sup> /h	583m <sup>3</sup> /hr	636m <sup>3</sup> /hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	2x 3w LED Down Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	2x Charcoal Filter RND 5			





# INTEGRATED HOODS LA-CANOPY VOGUE



The all new CANOPY VOGUE is Luxair's latest integrated cooker hood. Built using the highest quality materials and highest specifications, the CAN-VOGUE the best canopy hood on the market. Fitted with an enormous 950m<sup>3</sup>/hr motor this hood is more powerful than any other integrated hood on the market. Most integrated hoods on the market only offer around 300m<sup>3</sup>/hr extraction, Luxair strive to be the best and are the market leader in integrated hoods.

The Executive features an easy to use electric switch, with 3 speeds and a timer setting, 4 x LED energy efficient lights and unique heavy duty metal grease filters.

This hood can also be controlled by remote control (Optional Extra)

Free 7 Year Parts & Labour Warranty  
(Subject to Registration)




Available in Stainless Steel  
LA-58-CAN-VOGUE-SS  
LA-78-CAN-VOGUE-SS

\*Remote Control Optional Extra\*

## Technical Data

Size	58cm + 78cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	870m <sup>3</sup> /hr	950m <sup>3</sup> /hr
(Recirculated)	342m <sup>3</sup> /hr	482m <sup>3</sup> /h	583m <sup>3</sup> /hr	636m <sup>3</sup> /hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	4x 3w LED Down Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	2x Charcoal Filter RND 5			



INTEGRATED HOODS

## LA-INTEGRATED Stainless Steel



**LED Lights**  
**950m<sup>3</sup>/hr motor**  
**7 Year Warranty**  
(Subject to Registration)

The Luxair INTEGRATED cooker hood fits into a cupboard space above your hob and provides intense extraction and the convenience of being concealed.

The INTEGRATED benefits from a powerful 950m<sup>3</sup>/hr motor, more than any other integrated hood on the market. The 2x LED lights are energy efficient, will not need to be replaced and look stunning. All integrated hoods are fitted with a 3 speed slider switch for ease of use and durability.

Free 7 years parts and labour warranty (subject to registration).




Available in Stainless Steel

LA-60-INT-SS

LA-90-INT-SS

## Technical Data

Size	60cm + 90cm		
Fan Speeds	Speed 1	Speed 2	Speed 3
Extraction Rate			
(Unrestricted)	480m³/hr	600m³/hr	950m³/hr
(Recirculated)	322m³/hr	402m³/h	636m³/hr
Noise Level	54DB	57DB	63DB
Energy Rating	D		
Lighting	2x 3w LED Lights		
Ducting	6" -150mm - Min 5" - 125mm		
Charcoal Filters	2x Charcoal Filter Round 5		





INTEGRATED HOODS

## LA-TELESCOPIC Stainless Steel

A woman with dark hair, wearing a green and yellow plaid shirt, is shown from the chest up, smiling as she pulls out the stainless steel grease filter of a kitchen hood. The hood is integrated into wooden cabinets. The background shows more of the kitchen with blue and yellow accents.



**LED Lights**  
**950m<sup>3</sup>/hr motor**  
**7 Year Warranty**  
(Subject to Registration)

The TELESCOPIC cooker hood has style and substance. Sleek, powerful and distinctive, this hood will sit right at home in any kitchen.

The LA-TELESCOPIC has a pull out metal grease filter to catch all the grease and steam from your hob. Fitted with Luxair's 950m<sup>3</sup>/hr motor it has more than 3x the power of the average integrated hood and with the added bonus of energy efficient LED lights and an easy to use 2 speed switch, this hood is truly brilliant.

Fitted with charcoal filters or ducted out, the TELESCOPIC will suit any kitchen in any household.






Available in Stainless Steel

LA-60-TEL-SS

LA-90-TEL-SS

## Technical Data

Size	60cm + 90cm	
Fan Speeds	Speed 1	Speed 2
Extraction Rate		
(Unrestricted)	475m <sup>3</sup> /hr	950m <sup>3</sup> /hr
(Recirculated)	318m <sup>3</sup> /hr	636m <sup>3</sup> /h
Noise Level	54DB	57DB
Energy Rating	D	
Lighting	2x 3w LED Lights	
Ducting	6" -150mm - Min 5" - 125mm	
Charcoal Filters	2x Charcoal Filter Round 5	



## ISLAND HOODS


# LA-ANGELO Stainless Steel & Black



The Angelo is Italian for Angel and with good reason, it has wings! This island extractor will impress all your friends as when you press the remote control, the panels open automatically and close again when the extractor is not in use.

This new designer island cooker hood has neon lighting, all the under panel and side panels are lit, and is the only island extractor of its kind on the UK market. Designed for the larger kitchens, this hood is quality with design. The Angelo has a massive 1000m<sup>3</sup> motor and can be either re-circulated or ducted outside max of 6 meter.

Free 7 years parts and labour warranty (subject to registration).




Available in Stainless steel Available in Black

LA-100-ANGELO-SS	LA-100-ANGELO-BLK
LA-110-ANGELO-SS	LA-110-ANGELO-BLK
LA-120-ANGELO-SS	LA-120-ANGELO-BLK
LA-150-ANGELO-SS	LA-150-ANGELO-BLK

### Technical Data

Size	100cm, 120cm & 150cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	600m <sup>3</sup> /hr	680m <sup>3</sup> /hr	910m <sup>3</sup> /hr	1000m <sup>3</sup> /hr
(Recirculated)	402m <sup>3</sup> /hr	456m <sup>3</sup> /h	610m <sup>3</sup> /hr	670m <sup>3</sup> /hr
Noise Level	54DB	56DB	60DB	62DB
Energy Rating	D			
Lighting	Fluorescent Light Strip			
Ducting	Min 6" - 150mm			
Charcoal Filters	2x Charcoal Filter Round 5			



## ISLAND HOODS

# LA-AREZZO Stainless Steel and Black



Made to order, the Arezzo Island is hand finished to guarantee the highest standard of engineering. You will not be disappointed with the quality and performance of this top quality cooker hood.

This cooker hood is made from 18/10 grade stainless steel and is finished by hand. A powerful 900m<sup>3</sup>/hr motor and LED lights give this hood a designer feel.

The metal grease filter system can be simply washed in your dishwasher as you would a plate! Easy clean stainless steel that will keep your kitchen looking fantastic with that added wow factor.

Can be ducted to the outside wall or simply use recirculation with charcoal filters.



Available in Stainless steel Available in Black


LA-120-AREZZO-SS LA-120-AREZZO-BLK

LA-150-AREZZO-SS LA-150-AREZZO-BLK

LA-180-AREZZO-SS LA-180-AREZZO-BLK

### Technical Data

Size	120cm, 150cm & 180cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	350m <sup>3</sup> /hr	470m <sup>3</sup> /hr	600m <sup>3</sup> /hr	900m <sup>3</sup> /hr
(Recirculated)	235m <sup>3</sup> /hr	315m <sup>3</sup> /h	402m <sup>3</sup> /hr	603m <sup>3</sup> /hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	8x 1w LED Spot			
Ducting	Min 6" - 150mm			
Charcoal Filters	2x Charcoal Filter Round 5			



ISLAND HOODS

LA-COSMIC Stainless Steel/Black Glass or White Glass



## *Superbly Built*

Introducing the incredibly stylish COSMIC-Island cooker hood. Dramatic black glass under side and striking stainless steel surround, this hood really is stunning.

The COSMIC is Luxair's latest island hood featuring a black or white glass underside with 2 LED strips. The new energy efficient motor gives 950m<sup>3</sup>/hr and easy clean metal grease filters are accessible from the drop down glass centre panel.

You will not find any other hood like this anywhere other than Luxair.

Free 7 years parts and labour warranty (subject to registration).






Available in Stainless steel with Black Glass  
and White Glass

LA-90-COSMIC-ISL-BLK

LA-90-COSMIC-ISL-WHT

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m <sup>3</sup> /hr	720m <sup>3</sup> /hr	870m <sup>3</sup> /hr	950m <sup>3</sup> /hr
(Recirculated)	342m <sup>3</sup> /hr	482m <sup>3</sup> /h	583m <sup>3</sup> /hr	636m <sup>3</sup> /hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	2x 7w LED Strip Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square Grill - Cosmic			
	Charcoal filter cage required			



ISLAND HOODS

## LA-CRESTA Stainless Steel and Black




### *Crisp Curved Lines*

The Cresta Island features LED lighting all around the glass front, LED strip lighting underneath, and an LED lit timer boost control switch.

This cooker hood has easy access to a grease filter with a drop down under panel and has a very high extraction rate of 950m<sup>3</sup>/hr from its 'A' rated energy efficient motor.

Finished in a stunning easy to clean matt black or stylish stainless steel, the CRESTA Island has incredible curves and is a real head turner!



Available in Black


Available in Stainless Steel

LA-90-CRESTA-ISL-BLK

LA-90-CRESTA-ISL-SS

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr
(Recirculated)	342m³/hr	482m³/h	583m³/hr	636m³/hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	2x 7w LED Strip Lights + 1 Decorative LED			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square 2			



ISLAND CURVED GLASS HOODS

LA-CVD-ISL Stainless Steel, White, Ivory, Pink, Black and Red



Italian quality and a 7 year warranty, why choose any other cooker hood!

The Curved-Island is another perfect example of Luxair design. Stylish, modern, charming and available in 6 different colours. This really is a top of the range hood at an affordable price.

The CVD-ISL has a very simple to use electronic touch controls with timer feature and a 980m<sup>3</sup>/hr motor. The hood has 4x 20w halogen lights, the metal grease filters are dishwasher safe and the glass is 8mm tempered safety glass. All this adds up to be the most impressive looking and best performing curved glass hood on the market.





Available In S/Steel

LA-70-CVD-ISL-SS

LA-90-CVD-ISL-SS

Available In Pink

LA-70-CVD-ISL-PNK

LA-90-CVD-ISL-PNK

Available In Black

LA-70-CVD-ISL-BLK

LA-90-CVD-ISL-BLK

Available In Red

LA-70-CVD-ISL-RED

LA-90-CVD-ISL-RED

Available In White

LA-70-CVD-ISL-WHT

LA-90-CVD-ISL-WHT


Available In Ivory

LA-70-CVD-ISL-IVRY

LA-90-CVD-ISL-IVRY

## Technical Data

Size	70cm + 90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	580m <sup>3</sup> /hr	650m <sup>3</sup> /hr	900m <sup>3</sup> /hr	980m <sup>3</sup> /hr
(Recirculated)	389m <sup>3</sup> /hr	436m <sup>3</sup> /h	600m <sup>3</sup> /hr	657m <sup>3</sup> /hr
Noise Level	54DB	56DB	61DB	63DB
Energy Rating	D			
Lighting	4x 20w Halogen Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square 2			



ISLAND HOODS

LA-FLT-ISL Stainless Steel and Black




Let your cooker hood say something about you! Bold, impressive and powerful, the FLT Island has it all.

The FLT Island hood has a powerful yet quiet 980m<sup>3</sup>/hr motor, 4x halogen lights and an easy to use blue back lit timer switch. This hood can be recirculated with charcoal filters or ducted out.

For filters or ducting components please visit **[www.luxairhoods.com](http://www.luxairhoods.com)**

Free 7 years parts and labour warranty (Subject To Registration).




Available in Stainless Steel  
Island Hoods  
LA-90-FLT-ISL-SS

Available in Black  
Island Hoods  
LA-90-FLT-ISL-BLK

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	580m³/hr	650m³/hr	900m³/hr	980m³/hr
(Recirculated)	389m³/hr	436m³/h	600m³/hr	657m³/hr
Noise Level	54DB	56DB	61DB	63DB
Energy Rating	D			
Lighting	4x 20w Halogen Lights			
Ducting	6" -150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square 2			



ISLAND HOODS

LA-FSL Stainless Steel and Black




The FSL Island is the one of the best looking island hoods on the market.

Finished in Black or Stainless steel, fully welded and polished, every part of this hood looks stunning. This hood has a designer touch sensitive black glass screen with back lit controls and 4x 20w halogen lights.

Luxair's powerful 980m<sup>3</sup>/hr motor is energy efficient as well as being quiet due to the new plastic housing.

At only 60mm thick, the FSL-ISL is one of the slimmest hoods Luxair have to offer. This hood is available in either black or stainless steel.






Available in Stainless Steel  
Island Hoods  
LA-90-FSL-ISL-SS

Available in Black  
Island Hoods  
LA-90-FSL-ISL-BLK

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	580m <sup>3</sup> /hr	650m <sup>3</sup> /hr	900m <sup>3</sup> /hr	980m <sup>3</sup> /hr
(Recirculated)	389m <sup>3</sup> /hr	436m <sup>3</sup> /h	600m <sup>3</sup> /hr	657m <sup>3</sup> /hr
Noise Level	54DB	56DB	61DB	63DB
Energy Rating	D			
Lighting	4x 20w Halogen Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square 2			



ISLAND HOODS

## LA-LINEA Stainless Steel and Black With Black Glass



### *Slimline Design*

Introducing the 90cm Designer LINEA Island Cooker Hood.

Featuring 2x energy efficient 7w Led strip lighting and an Led lit glass touch control switch. This hood has a black glass undercarriage to give a sleek stylish design and easy to clean extraction area.

Finished in a stunning easy to clean stainless steel body this cooker hood will give your kitchen a sharp modern feel.

The LINEA cooker hood also has easy access to grease filter with a flip down glass panel, very high extraction rates of 950m<sup>3</sup>/hr from its 'A' rated energy efficient motor.

All Luxair wall mounted hoods come with a free 7 years warranty (subject to registration).




Available in Stainless Steel  
Island Hoods  
LA-90-LINEA-ISL-SS

Available in Black  
Island Hoods  
LA-90-LINEA-ISL-BLK

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	510m³/hr	720m³/hr	870m³/hr	950m³/hr
(Recirculated)	342m³/hr	482m³/h	583m³/hr	636m³/hr
Noise Level	42DB	48DB	55DB	63DB
Energy Rating	A			
Lighting	2x 7w LED Strip Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	2x Charcoal Filter Round 5			



ISLAND HOODS

## LA-OVAL Stainless Steel



### *Sleek Subtle Lines*


An oval shaped island hood that offers impressive power with designer looks.

The OVAL cooker hood has become very popular in island kitchens, often becoming the focal point of the kitchen.

The OVAL hood comes with two halogen lights and high extraction rates, with new plastic motor housing keeping noise levels to a minimum with easy installation. The Oval has 8mm tempered safety glass and an easy to use push button control but can also be purchased with an optional remote control. This designer kitchen extractor is equipped with a powerful 980m<sup>3</sup>/hr motor to leave you with a steam free cooking area.

Free 7 years parts and labour warranty (subject to registration).






**\*\*Remote Control Optional\*\***

Available in Stainless Steel

Island Hood

LA-90-OVAL-ISL-SS

Technical Data				
Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	580m <sup>3</sup> /hr	650m <sup>3</sup> /hr	900m <sup>3</sup> /hr	980m <sup>3</sup> /hr
(Recirculated)	389m <sup>3</sup> /hr	436m <sup>3</sup> /h	600m <sup>3</sup> /hr	657m <sup>3</sup> /hr
Noise Level	54DB	56DB	61DB	63DB
Energy Rating	D			
Lighting	2x 20w Halogen Lights			
Ducting	6" -150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square 3			



ISLAND HOODS

## LA-RND-ISL Chrome and Black



### *Stunning Lighting*

The RND Island hood is popular and sophisticated. The round island glass is designed to give an elegant and refined feel to the cooking experience with LED and halogen lighting.

This hood is remote control operated for ease of use and comes with 3x 20w halogen down lights and 4 blue LED lights around the glass. Fitted with a 980m<sup>3</sup>/hr motor, the LA-RND-ISL can be used in any sized kitchen.



**\*\*Remote Control Operated\*\***

Available in Stainless Steel  
Island Hood

LA-70-RND-ISL-SS

LA-90-RND-ISL-SS


Available in Black  
Island Hood

LA-70-RND-ISL-BLK

LA-90-RND-ISL-BLK

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	580m <sup>3</sup> /hr	650m <sup>3</sup> /hr	900m <sup>3</sup> /hr	980m <sup>3</sup> /hr
(Recirculated)	389m <sup>3</sup> /hr	436m <sup>3</sup> /h	600m <sup>3</sup> /hr	657m <sup>3</sup> /hr
Noise Level	54DB	56DB	61DB	63DB
Energy Rating	D			
Lighting	3x 20w Halogen Lights + 4x Blue LED's			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square 3			





ISLAND HOODS

LA-ST-GL-ISL Stainless Steel and Black



## *Quality Construction*

Luxair Straight glass hoods are now more popular than ever due to the high quality materials used. Looking and feeling like the designer hoods but at an affordable price.

The ST-GL-ISL boasts a 980m<sup>3</sup>/hr motor, 4x halogen lights and an easy to use push button control with timer function. The new plastic motor housing keeps noise levels to a minimum whilst ensuring your kitchen is steam free.

Luxair straight glass cooker hoods are simple but stunning, filling a need in the market between fully welded traditional hoods and curved glass designer hoods.

Free 7 years parts and labour warranty (subject to registration).





Available in Stainless Steel  
Island Hood

LA-70-ST-GL-ISL-SS

LA-90-ST-GL-ISL-SS


Available in Black  
Island Hood

LA-70-ST-GL-ISL-BLK

LA-90-ST-GL-ISL-BLK

## Technical Data

Size	70cm + 90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	580m³/hr	650m³/hr	900m³/hr	980m³/hr
(Recirculated)	389m³/hr	436m³/h	600m³/hr	657m³/hr
Noise Level	54DB	56DB	61DB	63DB
Energy Rating	D			
Lighting	4x 20w Halogen Lights			
Ducting	6" - 150mm - Min 5" - 125mm			
Charcoal Filters	1x Charcoal Filter Square 2			



## INDUCTION HOBS WITH EXTRACTORS LA-83-INDEXT



The INDEXT has all the advantages of induction hobs such as easy cleaning and quick cooking ability but also has the added benefit of extraction meaning you can have open plan living without the need for wall mounted or Island cooker hoods.

This 83cm Induction hob has a built in 1200m<sup>3</sup>/hr motor fixed directly to the hob below. This type of extraction is perfect for Induction hobs and will catch steam from pans as high as 240mm.

Air is extracted through both sides of the hob in 2 convenient glass elements. The entire hob can be lifted up to clean underneath and for access to the motor.

## INDUCTION HOBS WITH EXTRACTORS

### LA-78-INDEXT



Luxair are introducing a new concept with this induction hob with built in extractor.

This 78cm Induction hob has a built in 1200m<sup>3</sup>/hr motor fixed in the cupboard below. This type of extraction is perfect for Induction hobs and will catch steam from pans as high as 240mm.

Air is extracted through the middle vent that rises when the extractor is switched on. Once the extractor is turned off the glass plate returns to its flush fitted position.

The Hob features 4 ring sizes and many safety features including Pot Detection, Child Lock, Overflow Device, High Temperature Limit and Auto Switch Off. The hob also has the ability to bridge 2 rings to create one large griddle for large pots and griddle pans.



## LA-DWN Stainless Steel and Black Glass



### *Clever Engineering*

Downdraft extractors are definitely the latest in cooker hood design. Luxair has developed one of the best looking downdraft units available to date, with very high extraction and designer appeal.

The DWN unit is the first to give a height of up to 50cm, adapted specifically for UK cooking. Many other downdraft's only rise to 30cm! The innovative rising mechanism is incredibly smooth, just one touch on the control and the hood will seamlessly rise or lower.

Most other Downdraft extractors only offer a motor up to 850m<sup>3</sup>/hr but the DWN has an impressive 1200m<sup>3</sup>/hr motor, giving you all the extraction you need. The top panel is black glass and covers our new touch sensitive control switch. A boost timer and LED lighting really put this hood ahead of the competition.

The DWN can be fitted with an optional remote control and is available in stainless steel or with a designer black glass front panel.





Available in Stainless Steel

LA-90-DWN-SS


Available in Stainless Steel with Black Glass

LA-90-DWN-SS-BG

\*Minimum distance from hob required - 60mm\*

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	650m³/hr	800m³/hr	1100m³/hr	1200m³/hr
(Recirculated)	436m³/hr	536m³/h	737m³/hr	804m³/hr
Noise Level	54DB	56DB	61DB	63DB
Energy Rating	C			
Lighting	1x 7w LED Strip Light			
Ducting	6" -150mm - Min 5" - 125mm			
Charcoal Filters	2x Charcoal Filter Matt - Reusable			



DOWNDRAFT HOODS

## LA-TURBO Stainless Steel with Black Glass



### *High Rising & Powerful*

The Turbo Downdraft is the latest addition to our Downdraft range featuring a Stainless Steel Frame, Black Glass and LED Lighting!

Available in 90cm in stainless steel with a black glass finish, the Turbo features an LED strip light and LED spot lights.

The Turbo can be set at different heights from 20cm - 50cm to suit your cooking needs. Fitted with a 1200m<sup>3</sup>/hr motor, the Turbo is one of the most powerful on the market.

Safety is now of paramount importance and the Turbo now has a unique safety feature to ensure nothing can be trapped in the hood when it is retracting.



# DOWNDRAFT




Available in Stainless Steel with Black Glass

LA-90-TURBO-DWN

\*Please note the motor on the Turbo downdraft is removable and can be placed in an adjacent room\*

## Technical Data

Size	90cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Timer
Extraction Rate				
(Unrestricted)	650m <sup>3</sup> /hr	800m <sup>3</sup> /hr	1100m <sup>3</sup> /hr	1200m <sup>3</sup> /hr
(Recirculated)	436m <sup>3</sup> /hr	536m <sup>3</sup> /h	737m <sup>3</sup> /hr	804m <sup>3</sup> /hr
Noise Level	54DB	56DB	61DB	63DB
Energy Rating	C			
Lighting	1x 7w LED Strip Light + 6x 1.2w LED Spots			
Ducting	6" -150mm - Min 5" - 125mm			
Charcoal Filters	2x Charcoal Filter Square 3			



# BATHROOM




Available in White, Black, Stainless Steel

CABAIR 60/90/120

IP45 Rated



## Technical Data

Size	60cm, 90cm & 120cm			
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4
Extraction Rate				
(Unrestricted)	120m <sup>3</sup> /hr	240m <sup>3</sup> /hr	360m <sup>3</sup> /hr	480m <sup>3</sup> /hr
(Recirculated)	80m <sup>3</sup> /hr	160m <sup>3</sup> /h	241m <sup>3</sup> /hr	321m <sup>3</sup> /hr
Noise Level	54DB	56DB	61DB	63DB
Energy Rating	D			
Lighting	1x LED Strip Light			
Ducting	Minimum 100mm			






# BATHROOM



Available in White, Black, Stainless Steel  
 SHOWAIR - 350/650/950  
 IP45 Rated

## Technical Data

Size	350x300mm, 650x300mm, 950x300mm				
Fan Speeds	Speed 1	Speed 2	Speed 3	Speed 4	
Extraction Rate					
(Unrestricted)	55m³/hr	110m³/hr	165m³/hr	220m³/hr	
Noise Level	20DB	24DB	29DB	33DB	
	Speed 5	Speed 6	Speed 7	Speed 8	Speed 9
	275m³/hr	330m³/h	373m³/hr	426m³/hr	480m³/hr
Noise Level	38DB	44DB	50DB	56DB	62DB
Energy Rating	B (LA-350)	C (LA-650)	C (LA-950)		
Lighting	2x LED Light Strips				
Ducting	Min 100mm				



SPLASHBACKS

## Stainless Steel and Glass



### *Beautiful & Practical*

Luxair's Glass and Stainless Steel Splashbacks are not just beautiful to look at, they are also highly practical and better for your health!

- ☞ As there's no grout-related mould to worry about, choosing glass means you are also choosing less cleaning and better hygiene in your kitchen.
- ☞ As glass reflects light back into the room, our gleaming Glass Splashbacks make your kitchen feel brighter and more spacious.
- ☞ Bring your kitchen bang up to date and let it shine! Our designer Glass Splashbacks provide instant modernisation.
- ☞ Glass Splashbacks sit perfectly with other luxury accessories and kitchen appliances.

# SPLASHBACKS



Luxair's Glass Splashbacks are designed to be installed as a feature, set against plainer wall tiles. This is why our splashbacks have edges that have been ground and shaped for a beautifully smooth finish with a slight bevel.

The Stainless Steel Splashbacks are easy to clean and provide the perfect finishing touch to your kitchen. All our splashbacks are 750mm high, MDF backed 18/10 grade stainless and are available in all size options.

Look out for the pre-shaped and contoured splashbacks that are made specifically to compliment our glass chimney hood range.

NB: We recommend using a clear mirror adhesive to install our splashbacks. Please apply the adhesive on in straight thin lines from top to bottom!

# SPLASH BACKS

## Stainless Steel and Glass



Available in Stainless Steel and Black Splashbacks. Sizes in:  
 SPLASH-60-SS or SPLASH-60-BLK  
 SPLASH-70-SS or SPLASH-70-BLK  
 SPLASH-90-SS or SPLASH-90-BLK  
 SPLASH-100-SS or SPLASH-100-BLK  
 SPLASH-110-SS or SPLASH-110-BLK



Available in Curved Stainless Steel Splashbacks. Sizes in:  
 SPLASH-60-SS-CVD  
 SPLASH-70-SS-CVD  
 SPLASH-80-SS-CVD  
 SPLASH-90-SS-CVD  
 SPLASH-100-SS-CVD  
 SPLASH-110-SS-CVD



Available in Stainless Steel Straight Splashbacks. Sizes in:  
 SPLASH-60-SS-ST  
 SPLASH-70-SS-ST  
 SPLASH-90-SS-ST



Curved Red, Pink, Cream, Silver & Black Glass Splashbacks Sizes in:

SP-60-CVD-RED  
 SP-70-CVD-RED  
 SP-80-CVD-RED  
 SP-90-CVD-RED  
 SP-100-CVD-RED  
 SP-110-CVD-RED

SP-60-CVD-PNK  
 SP-70-CVD-PNK  
 SP-80-CVD-PNK  
 SP-90-CVD-PNK  
 SP-100-CVD-PNK  
 SP-110-CVD-PNK

SP-60-CVD-CRM  
 SP-70-CVD-CRM  
 SP-80-CVD-CRM  
 SP-90-CVD-CRM  
 SP-100-CVD-CRM  
 SP-110-CVD-CRM

SP-60-CVD-SG  
 SP-70-CVD-SG  
 SP-80-CVD-SG  
 SP-90-CVD-SG  
 SP-100-CVD-SG  
 SP-110-CVD-SG

SP-60-CVD-BG  
 SP-70-CVD-BG  
 SP-80-CVD-BG  
 SP-90-CVD-BG  
 SP-100-CVD-BG  
 SP-110-CVD-BG

SP-60-CVD-WHT  
 SP-70-CVD-WHT  
 SP-80-CVD-WHT  
 SP-90-CVD-WHT  
 SP-100-CVD-WHT  
 SP-110-CVD-WHT



Silver, Black & Cream Glass Splashbacks Sizes in:

SP-60-SG  
 SP-70-SG  
 SP-80-SG  
 SP-90-SG  
 SP-100-SG  
 SP-110-SG

SP-60-BG  
 SP-70-BG  
 SP-80-BG  
 SP-90-BG  
 SP-100-BG  
 SP-110-BG

SP-60-CRM  
 SP-70-CRM  
 SP-80-CRM  
 SP-90-CRM  
 SP-100-CRM  
 SP-110-CRM


SP-60-WHT  
 SP-70-WHT  
 SP-80-WHT  
 SP-90-WHT  
 SP-100-WHT  
 SP-110-WHT




# SPLASHBACKS

## Dimensions


Curved Splashback for  
Curved Glass Hoods




Splashback For LA-ST-GL  
Cooker Hoods




Valore Steel + Glass  
Splashbacks



Standard Universal Glass  
Splashback



Standard Steel Universal  
Straight Splashback



# ACCESSORIES



Charcoal Filter Round 1



Charcoal Filter Round 4



Charcoal Filter Round 5



Charcoal Filter Square 2



Charcoal Filter Square 3




Metal Grease Filters

## DUCTING TAPES AND ALUMINIUM FOIL




1.5 Meter Ducting Kit



3.5 Meter Ducting Kit



4 Meter Ducting Kit



6 Meter Ducting Kit



Luxair Glass Adhesive

All Ducting Kits are available in both 125mm and 150mm sizes.

125mm circular ducting = 150mm x 70mm rectangular equivalent

150mm circular ducting = 180mm x 95mm rectangular equivalent

Please refer to the Luxair website for the correct filter and ducting kits for each model of hood - [www.Luxairhoods.com](http://www.Luxairhoods.com)



**Luxair UK Limited**

Luxair House, Unit 4 & 5,  
Barker Business Park,  
Melmerby, Ripon, HG4 5NB  
Telephone: 01765 641888  
Fax: 01765 641889  
Email: [info@luxairhoods.com](mailto:info@luxairhoods.com)

Follow us on

